


NM-4



_____ :

- _____ ()
- _____ (A)
- _____ (Q1, Q2)
- _____ Al₂O₃ (V)

_____ :

- _____, FKM (V)
- _____ (P)
- _____, EPDM (E)

_____ :

- p = 10
- t = -20 ... 140°C
- v = 10 /

d ₁	d ₃	d ₄	D ₇	l ₃	tol	l ₄
6	18	23	22.0	8.0	+0.5/0	4.0
8	24	27	26.0	11.0	+0.5/0	8.0
10	24	27	26.0	11.0	+0.5/0	8.0
11	24	27	26.0	11.0	+0.5/0	8.0
12	24	27	26.0	12.8	+0.7/0	8.0
13	24	27	26.0	12.8	+0.7/0	8.0
14	32	35	29.5	12.8	+0.7/0	8.0
15	32	35	29.5	12.8	+0.7/0	8.0
16	39	43	38.0	12.8	+0.7/0	8.0
16	39	43	42.0	12.8	+0.7/0	8.0
17	39	43	42.0	12.8	+0.7/0	8.0
18	39	43	42.0	12.8	+0.7/0	8.0
19	39	43	42.0	12.8	+0.7/0	8.0
20	39	43	42.0	12.8	+0.7/0	8.0
22	42	47	45.0	12.8	+0.7/0	10.0
23	47	52	50.0	13.5	+1/0	10.0
24	47	52	50.0	13.5	+1/0	10.0
25	47	52	50.0	13.5	+1/0	10.0
26	47	52	50.0	13.5	+1/0	10.0
27	47	52	50.0	13.5	+1/0	10.0
28	54	60	57.0	15.0	+1/0	10.0
30	54	60	57.0	15.0	+1/0	10.0
32	54	60	57.0	15.0	+1/0	10.0
35	60	70	63.0	16.0	+1/0	10.0
38	65	75	68.0	18.0	+1/0	12.0
40	65	75	68.0	18.0	+1/0	12.0
45	70	80	73.0	20.0	+1/0	12.0
50	85	95	88.0	23.0	+1/0	15.0
60	105	115	110.0	30.0	+1/0	15.0

по просьбе заказчика уплотнения могут поставляться по вашим размерам